

AGENDA 3 Overview of risk Survey research Strategies and examining LGBTQ+ resources for and protective factors for mental fostering safe & youth's social media health among use and experiences healthy online LGBTQ+ youth on spaces for LGBTQ+ social media youth





MENTAL HEALTH SYMPTOMS & SUICIDE RISK AMONG LGBTQ+ YOUTH									
		Symptoms of Anxiety	Symptoms of Depression	Seriously Considered Suicide	Attempted Suicide				
2 H R	All youth 2022 Teen National Health Survey & Youth Risk Behavior Survey 2011	21% in past 2 weeks	17% in past 2 weeks	22% in past year	10% in past year				
Т	GBTQ+ youth Trevor Project Survey 2023	67% in past year	54% in past year	41% in past year	14% in past year				
	LGBTQ+ youth experience higher rates of mental health concerns and suicidal thoughts and behaviors, as well as violence, discrimination, and adversity – experiences that occur both in-person and online.								

LGBTQ+ YOUTH & SOCIAL MEDIA

• LGBTQ+ youth are frequent consumers of social media

• 5 hours per day online on average (45 min than non-LGBTQ+ youth).

• While this use might increase exposure to negative experiences, it also offers an affirming space for LGBTQ+ youth.

Affirming spaces among LGBTQ young people:

Home


School

School

School

School

Sex



RISK FACTORS FOR LGBTQ+ YOUTH

Social media can extend minority stress experiences into online lives.


- Distal minority stress processes: exposure to discriminatory or prejudicial events
- Proximal minority stress processes: rejection, concealment, internalized stigma

Online victimization:

- Hurtful comments, images, behaviors inflicted through online spaces (Tynes et al, 2010)
- Higher rates of social media use are thought to contribute to added exposure to rejection, bullying, harassment, & discrimination (Fisher et al, 2024)
- LGBTQ+ youth experience 3x the rates of online victimization compared to non-LGBTQ+ youth




HOW AND WHY THIS MATTERS Experiences of minority stress are chronic & unique in their contribution to mental health & have been directly linked with suicidal behavior among LGBTQ+ youth (Kelleher, 2009). Online victimization stands out, even among other social media-related risk factors, in contributing to a range of outcomes related to self-injurious thoughts and behaviors: non-suicidal self-injury, suicidal thoughts, suicidal plans, and suicide attempts (Nesi et al, 2021).












	LGBTQ+ YOUTH SOCIAL MEDIA	AND WELLBEING	SUPPORT VIA		
9	Emotional	Informational	Appraisal		
	Sense of belonging to a community	LGBTQ issues, news, representation	Feelings of validation		
	Anonymity helps in sharing experiences	Learning about LGBTQ and intersecting identities	Affirming support of "likes" and positive comments	- 70	
- О	Helpful with offline concerns and it reduces feelings of isolation	Learning about relationships, sex, sexual health, gender affirming care	Compliments on appearance and 'passing' (gender diverse youth)	á	
	Selkie et al, DOI: 10.1016/j.jadohealth.2019.08.011				




























































RESOURCES FOR PARENTS OF LGBTQ+ TEENS

• Trevor Project's Guide to Being an Ally and Guide to LGBTQ+ Youth Suicide Prevention

• Caregiver AFFIRM: evidence-based, group program for caregivers of LGBTQ+ youth, currently offered for free virtually to any caregiver through the Hugh Lane Wellness Center

